

# APPARATUS AND PROGRAM FOR IMAGE CLASSIFICATION

## BACKGROUND OF THE INVENTION

### Field of the Invention

5           The present invention relates to an apparatus for classifying image data sets obtained by a digital camera or the like, and to a program for causing a computer to execute classification processing.

### Description of the Related Art

10           Conventional prints generated from silver salt photographic films have been used in various manners. For example, such prints are used for checking how the prints (photographs) look, for communication with friends by viewing the prints, for sending additional prints to friends, for  
15   display of enlargements thereof, and for generation of photograph albums.

          Meanwhile, images are often managed in the form of image data sets, and the image data sets are obtained by reading the images recorded on a film or prints, or by a digital camera.  
20   When the image data sets obtained in the above manner are managed, a user who manages the image data sets generates folders corresponding to the date of photography or events, and classifies the image data sets manually into the folders while confirming the images.

25           However, classification of image data sets becomes more

troublesome as the number of the image data sets grows. Especially, in the case of a digital camera, a large number of imaged data sets are often obtained, since no cost is necessary for films. Therefore, various methods have been proposed for automatically classifying image data sets. For example, image data sets are classified according to recording media wherein the image data sets were recorded, or according to films from which the image data sets were obtained. Alternatively, image data sets are classified in hierarchal folders corresponding to years, months, and dates. Furthermore, in another method, image data sets are classified according to the date of photography, with reference to information representing time and date of photography added to the image data sets (Japanese Unexamined Patent Publications No. 5(1993)-165935 and 2001-228528). In still another method, image data sets are classified first according to date of photography, and classified further according to similarity between images (Japanese Unexamined Patent Publication No. 2000-112997). In yet another method, image data sets obtained by a digital camera are classified according to orientation of the digital camera at the time of photography or according to images having the same time information (U.S. Patent No. 5,576,759, or according to predetermined events related to the date of photography (Japanese Unexamined Patent Publication No. 2002-096145).

By using such a method of automatic image data

classification, a user can efficiently classify image data sets.

Meanwhile, image data sets dealt with by users have been diversified for private use or for study, since image data sets are easy to obtain. Consequently, classification according to items specific to each field or according to more detailed items is often desired. For example, in the case of image data sets representing images of fish, the items to classify subjects of the images refer to sea fish/fresh-water fish, families they belong to, and adult fish/immature fish. In the case of image data sets related to recipes, the items refer to cooking time, cost, main ingredients, and calories, for example. However, according to the above-described methods that have been proposed, the items for classification have been predetermined and limited to general items. Therefore, the degree of freedom in classification is low.

#### SUMMARY OF THE INVENTION

The present invention has been conceived based on consideration of the above circumstances. An object of the present invention is therefore to provide an image classification apparatus enabling classification of image data sets with a higher degree of freedom, and a program that causes a computer to execute classification procedures.

An image classification apparatus of the present invention is an apparatus for classifying image data sets added

with accompanying information including a plurality of information items, and the image classification apparatus comprises:

accompanying information obtaining means for obtaining  
5 the accompanying information from the image data sets;

information item specification means for specifying a portion of or all of the information items of the accompanying information to be used for image classification, and for specifying priority among the specified information items; and

10 image classification means for classifying the image data sets into groups having a hierarchical structure of the specified information items according to the specified priority.

The accompanying information refers to information added  
15 to the image data sets for representing a characteristic, a nature, and a state of the image data sets, for example. More specifically, the accompanying information represents time and date of photography, a photography condition, a photography location, a size of an image, the type of a subject, the name  
20 of the subject, the number of objects as the subject, an event, and a comment, for example.

The information items refer to item names regarding the accompanying information. The information items include not only the items in the accompanying information but also items  
25 of more detailed information extracted from the accompanying

information. For example, if one of the items in the accompanying information represents the time and date of photography, the information items can be "photography year", "photography month", and "photography date".

5           The photography condition refers to various settings of an imaging apparatus and weather at the time of photography. For example, the photography condition refers to shutter speed such as 1/125 second, an aperture state such as f11, and "cloudy" as the weather.

10           The size of an image refers to an aspect ratio or the number of pixels of the image represented by each of the image data sets, for example. The size can be expressed as "640×400", for example.

          The type of subject refers to people, mountain, sea, and  
15 building, for example.

          The name of the subject refers to a person's name such as "Mr. Yamada" and "Ms. Tanaka" in the case of the person being the subject. In the case where the subject is a mountain or sea, the name refers to "Mt. Takao" and "Miura Beach", for  
20 example.

          The number of objects as the subject refers to the number of people in the image as the subject thereof, in the case that the type of subject is people.

          The comment refers to a word or a sentence expressed by  
25 a user such as a photographer, regarding the image. For example,

"A walk with my dog Shiro", and "Haruo's first experience in a pool" can be used as the comment.

The accompanying information can be described as tag information of the image data sets.

5           In the case where the image data sets have been obtained by a digital camera, the accompanying information is added to the image data sets by the digital camera. In the case where the image data sets have been obtained by reading images recorded on a film or the like with reading means such as a  
10 scanner, the accompanying information is added to the image data sets by the reading means. The accompanying information may be added to the image data sets by the digital camera or by the reading means either in an automatic manner or through a manual operation by the user.

15           Classifying the image data sets into groups having a hierarchical structure of the specified information items according to the specified priority refers to firstly classifying the image data sets according to the top-priority information item so that the image data sets are classified into  
20 groups at the top of the hierarchical structure, and by classifying the image data sets in each of the groups in the top hierarchical structure according to the information item having the second-highest priority so that the groups classified in this manner are positioned second highest in the  
25 hierarchical structure. In this manner, the classification is

repeated according to the priority, and the image data sets are classified into the groups having the hierarchical structure.

In an image classification apparatus of the present invention, the accompanying information may include  
5 classification condition information representing a set of the information items to be used for image classification so that the information item specification means can specify the information items to be used for image classification according to the classification condition information.

10 In an image classification apparatus of the present invention, the accompanying information may include classification condition information representing a combination of the information items to be used for image classification and the priority thereof so that the information  
15 item specification means can specify the information items to be used for image classification and the priority thereof, according to the classification condition information.

The classification condition information represents the set of the information items to be used for image classification,  
20 and the classification condition information is described by a creator or user of the image data sets or by a photography apparatus, for example. According to the type or category of the image data sets, the classification condition information represents the set of the information items or the combination  
25 of the information items and the priority thereof. The

classification condition information represents the combination of the information items and the priority as "1. photography location, 2. photography year, 3. photography month, 4. photography date", for example.

5           In the image classification apparatus of the present invention, the information item specification means may specify the information items and the priority thereof according to a manual operation by a user or in an automatic manner according to the classification condition information included in the  
10 accompanying information. Alternatively, the user may select either the manual operation or the automatic manner. In addition, only the information items to be used for image classification may be determined according to the classification condition information so that the user can  
15 specify the priority thereof. Alternatively, the user may specify the information items and the priority thereof by modifying the combination of the information items and the priority represented by the classification condition information. Furthermore, the classification condition  
20 information may represent a plurality of combinations of the information items and the priority thereof so that the user can select one of the combinations.

          The means of the image classification apparatus may be provided as procedures of a program for causing a computer to  
25 execute the functions of the means.



The image data sets may be still image data sets or video data sets representing moving images. In addition, the image data sets may include audio information representing a sound.

According to the image classification apparatus having  
5 the configuration described above, the accompanying information including the information items is obtained from the image data sets, and the information items to be used for image classification are specified among the information items. The priority of the specified information items is also  
10 specified so that the image data sets are classified into the groups having the hierarchical structure of the specified information items according to the specified priority. Therefore, the image data sets can be classified with a high degree of freedom.

15 If the accompanying information includes the classification condition information representing the set of the information items to be used for image classification and the information items are specified for image classification according to the classification condition information, the  
20 image data sets can be classified by the specified information items without specification of the information items and the priority thereof by the user.

If the accompanying information includes the classification condition information representing the  
25 combination of the information items and the priority thereof

to be used for image classification, and the information items and the priority thereof are specified for image classification according to the classification condition information, the image data sets can be classified by the specified information items and the specified priority thereof, without specification  
5 of the information items and the priority thereof by the user.

#### BRIEF DESCRIPTION OF THE DRAWINGS

Figure 1 is a block diagram showing the configuration of an image storage system as an image classification apparatus  
10 of a first embodiment of the present invention;

Figure 2 shows diagrams for explaining classification of image data sets;

Figure 3 shows a result of the classification of the image data sets;

15 Figure 4 shows another result of the classification of the image data sets;

Figure 5 is a flow chart showing procedures carried out in the first embodiment;

Figure 6 shows a result of the classification of the image  
20 data sets displayed on a personal computer; and

Figure 7 is a flow chart showing procedures carried out in a second embodiment of the present invention.

#### DESCRIPTION OF THE PREFERRED EMBODIMENTS

Hereinafter, embodiments of the present invention will  
25 be explained with reference to the accompanying drawings.

Figure 1 is a block diagram showing the configuration of an image storage system as an image classification apparatus of a first embodiment of the present invention. The image storage system shown in Figure 1 exchanges data between a personal computer 10 owned by a user 1 and an image storage server 2 having the image classification apparatus of the present invention. The image storage server 2 is connected to the personal computer 10 of the user 1 via a network 3.

The user 1 obtains image data sets S0 by using a digital camera 11 of his/her own, and records the image data sets S0 in a memory card 12. The user 1 reads the image data sets S0 from the memory card 12 by using the personal computer 10, and stores the image data sets S0 in a hard disc of the personal computer 10. When the user requests classification of the image data sets S0, the user sends the image data sets S0 to the image storage server 2 via the network 3.

The digital camera 11 records information on time and date of photography (hereinafter referred to as the photography date information), photography location information representing a place of photography, and subject information representing the type of a subject, in tag information T0 of the image data sets S0 at the times of photography thereof.

The personal computer 10 has been installed with viewer software for viewing the image data sets S0, and a general-purpose Web browser. The user 1 uses the viewer

software for viewing the image data sets S0 obtained by photography with the digital camera 11. The user 1 can also access the image storage server 2 by using the Web browser and can request classification of the image data sets S0 from the image storage server 2. When the user 1 requests classification of the image data sets S0 from the image storage server 2, the image data sets S0 are sent to the image storage server 2 via the network 3. At this time, user information for identifying the user 1 is also sent to the image storage server 2. The user information may be described in the tag information T0 of the image data sets S0.

The image storage server 2 comprises a storage database 21 such as a hard disc or a RAID, an information database 22 (not shown), image organizing means 4 according to the first embodiment, a Web server 23, and thumbnail image generation means 24. The storage database 21 stores the image data sets S0, thumbnail image data sets ST0, and classification information B0 representing a result of classification of the image data sets S0, as will be explained later. The information database 22 stores various kinds of information such as the user information. The Web server 23 enables the user 1 to view the data sets and the information stored in the storage database 21 via the network 3. The thumbnail image generation means 24 generates the thumbnail image data sets ST0 representing thumbnail images from images represented by the image data sets

S0.

In the first embodiment, the storage database 21 stores the image data sets S0, the thumbnail image data sets ST0, and the classification information B0. The image storage server  
5 2 may carry out procedures of the means thereof by using software having the procedures, instead of having the means themselves.

The image organizing means 4 comprises image data input means 41, tag information reading means 42, information item specification means 43, and image classification means 44. The  
10 image data input means 41 receives an input of the image data sets S0. The tag information reading means 42 reads the tag information T0 added to the image data sets S0. The information item specification means 43 specifies information items to be used for classification of the image data sets S0 from items  
15 in the tag information T0, and specifies priority among the specified information items. The image classification means 44 classifies the image data sets S0 into groups having a hierarchical structure of the specified information items according to the specified priority, and generates the  
20 classification information B0 representing the result of classification.

The image data input means 41 comprises a communication interface for receiving the image data sets S0 sent from the personal computer 10.

25 The image organizing means 4 selects the information

items to be used for image classification from the information items described in the tag information T0, and specifies the priority thereof. The image organizing means 4 also classifies the image data sets S0 into the groups having the hierarchical  
5 structure of the specified information items, according to the priority that has been specified.

Figure 2 shows diagrams for explaining classification of the image data sets S0. The tag information T0 of each of the image data sets S0 has the information items comprising the  
10 date/month/year of photography, the photography location, the subject type, and the name of the subject. These information items may be described automatically by the digital camera 11 or by a manual operation carried out by the user 1. In addition to the predetermined information items, the user 1 can  
15 arbitrarily generate an information item so that the user 1 can describe specific information in the item. For example, if the image data sets S0 represent images of cooking, the user 1 may generate an item "ingredients" as one of the information items in the tag information T0 so that the user 1 can describe "beef"  
20 as the content of the newly generated information item, for example.

Therefore, the image classification means 44 classifies the image data sets S0 into the groups having the hierarchical structure of the specified information items, according to the  
25 priority specified by the information item specification means

43. For example, in the case where the information items and the priority thereof are specified as "1. photography location, 2. photography year, 3. photography month, and 4. photography date", the image data sets S0 are first classified according to the photography location. Thereafter, the image data sets S0 are further classified according to the photography year, and then by the photography month followed by the photography date. More specifically, folders having the hierarchical structure of "photography location", "photography year", "photography month" and "photography date" are generated, and the image data sets S0 are stored in the folders at the lowest level of the hierarchical structure.

The image classification means 44 classifies the image data sets S0 in the above manner, and generates the classification information B0 representing the classification result. By referring to the classification information B0, the image data sets S0 can be classified according to the specified information items.

Figure 3 shows the result of classification. Figure 3 shows the case where the information items and the priority thereof are "1. photography location, 2. photography year, 3. photography month, and 4. photography date". As shown in Figure 3, a folder "year 2002" is generated under a folder "Disneyland". Under the folder "Year 2002" is generated a folder "May", and a folder "10<sup>th</sup>" is generated under the "May" folder. Folders

having the hierarchical structures such as "Hakone" - "Year 2002" - "May" - "11<sup>th</sup>", and "My Parents' House" - "Year 2002" - "May" - "11<sup>th</sup>" are also generated.

Figure 4 shows another result of the classification in the case where the information items and the priority thereof are "1. subject type, 2. photography year, and 3. photography month". As shown in Figure 4, a folder "People" is generated, and a folder "Year 2002" is generated under the "People" folder. Under the "Year 2002" folder is generated a folder "May". In addition, folders having a hierarchical structure such as "Mountain" - "Year 2002" - "May" are also generated.

In the case where the classification result is displayed, the image data sets S0 are shown as the thumbnail image data sets ST0 with reference to the classification information B0.

The operation of the first embodiment will be explained next. Figure 5 is a flow chart showing procedures carried out in the first embodiment.

First, the image data sets S0 obtained by the user 1 with the digital camera 11 are sent from the personal computer 10 of the user 1 to the image storage server 2 via the network 3, and the image storage server 2 receives the image data sets S0 by using the image data input means 41 (Step S1). The image data sets S0 are stored in the storage database 21 (Step S2), and the thumbnail image generation means 24 generates the thumbnail image data sets ST0 from the image data sets S0 (Step



S3). The thumbnail image data sets ST0 are also stored in the storage database 21 (Step S4).

The tag information reading means 42 reads the tag information T0 added to the image data sets S0 (Step S5), and  
5 the tag information is input to the image classification means 44. The user 1 specifies the information items and the priority thereof to be used for image classification, by using the information item specification means 43 (Step S6). The image classification means 44 classifies the image data sets S0 into  
10 the groups having the hierarchical structure of the specified information items, according to the specified priority, and generates the classification information B0 (Step S7). The classification information B0 is stored in the information database 21 (Step S8) to end the process.

15 The order of the procedures at Step S2, at Steps S3 and S4, and at Steps S5 to S8 is arbitrary, and the procedures may be carried out in parallel.

The user 1 accesses the Web server 23 from the personal computer 10, and inputs an instruction to display the  
20 classification result of the image data sets S0 he/she sent. The image data sets S0 are then displayed on the personal computer 10 with reference to the classification information B0.

Figure 6 shows the classification result of the image data  
25 sets S0 displayed on the personal computer 10. As shown in

Figure 6, the classification result is shown as a classification result display screen 50 on the personal computer 10. In a left frame 50L on the left side of the screen 50 is shown the folder structure of the classification result, and in a right frame 50R on the right side are shown the thumbnail images as representatives of the images classified in the respective folders. The user 1 can display the thumbnail images of the image data sets S0 classified in each of the folders, by clicking a corresponding one of the folders in the right frame 50R of the screen 50. In Figure 6, the thumbnail image data sets ST0 of the image data sets S0 classified in the folder structure "Hakone" - "Year 2002" - "May" - "11<sup>th</sup>" are shown.

Furthermore, the name of each of the folders is also displayed as a title thereof.

In the case where a portion of the image data sets S0 is misclassified due to an error in description in the tag information T0 or the like, the classification result needs to be changed. In this case, the user 1 can change the folder in which each of the misclassified image data sets S0 is to be classified, by changing the folder in which the corresponding thumbnail image data set ST0 of the image data set S0 is currently classified, with use of the personal computer 10. More specifically, the corresponding thumbnail image is dragged and dropped to a desired one of the folders. Consequently, the corresponding image data set S0 can also be moved to the folder.